

ZAŁ .H1

Dane do obliczeń - pora dzienna:

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	318.8	338.4	4.0	80.0	W1
2	330.6	338.6	4.0	80.0	W2
3	317.1	430.2	4.0	80.0	W3
4	328.5	430.6	4.0	80.0	W4
5	316.1	521.1	4.0	80.0	W5
6	328.8	521.3	4.0	80.0	W6
7	330.5	558.8	4.0	80.0	W7
8	330.3	570.5	4.0	80.0	W8
9	385.0	523.5	4.0	80.0	W9
10	397.8	523.8	4.0	80.0	W10
11	386.1	432.3	4.0	80.0	W11
12	398.8	432.6	4.0	80.0	W12
13	387.5	339.8	4.0	80.0	W13
14	399.6	340.1	4.0	80.0	W14
15	378.0	209.2	4.0	80.0	W15
16	377.9	203.6	4.0	80.0	W16
17	321.9	203.6	1.6	70.0	D1
18	324.3	203.7	1.6	70.0	D2
19	327.0	203.8	1.6	70.0	D3
20	329.6	203.8	1.6	70.0	D4
21	332.0	203.8	1.6	70.0	D5
22	368.0	164.0	1.0	75.0	C1-1
23	336.5	171.0	1.0	75.0	C1-2
24	304.3	181.5	1.0	75.0	C1-3
25	303.0	214.0	1.0	74.8	C1-4
26	302.9	235.7	1.0	74.8	C1-5
27	302.9	257.4	1.0	74.8	C1-6
28	302.8	279.1	1.0	74.8	C1-7
29	302.8	300.8	1.0	74.8	C1-8
30	302.7	322.4	1.0	74.8	C1-9
31	302.6	344.1	1.0	74.8	C1-10
32	302.6	365.8	1.0	74.8	C1-11
33	302.5	387.5	1.0	74.8	C1-12
34	302.4	409.2	1.0	74.8	C1-13
35	302.4	430.9	1.0	74.8	C1-14
36	302.3	452.6	1.0	74.8	C1-15
37	302.3	474.3	1.0	74.8	C1-16
38	302.2	495.9	1.0	74.8	C1-17
39	302.1	517.6	1.0	74.8	C1-18
40	302.1	539.3	1.0	74.8	C1-19
41	302.0	561.0	1.0	74.8	C1-20
42	366.0	164.0	1.0	80.0	C2-1
43	343.0	184.0	1.0	80.0	C2-2
44	320.0	204.0	1.0	80.0	C2-3
45	306.0	179.0	1.0	80.1	C2-4

46	335.5	170.5	1.0	80.1	C2-5
47	365.0	162.0	1.0	80.1	C2-6
48	368.0	162.0	0.5	81.7	01-1
49	367.9	182.6	0.5	81.7	01-2
50	367.8	203.2	0.5	81.7	01-3
51	367.7	223.8	0.5	81.7	01-4
52	367.6	244.4	0.5	81.7	01-5
53	367.4	265.1	0.5	81.7	01-6
54	367.3	285.7	0.5	81.7	01-7
55	367.2	306.3	0.5	81.7	01-8
56	367.1	326.9	0.5	81.7	01-9
57	367.0	347.5	0.5	81.7	01-10
58	366.9	368.1	0.5	81.7	01-11
59	366.8	388.7	0.5	81.7	01-12
60	366.7	409.3	0.5	81.7	01-13
61	366.6	429.9	0.5	81.7	01-14
62	366.4	450.6	0.5	81.7	01-15
63	366.3	471.2	0.5	81.7	01-16
64	366.2	491.8	0.5	81.7	01-17
65	366.1	512.4	0.5	81.7	01-18
66	366.0	533.0	0.5	81.7	01-19
67	349.0	534.0	0.5	81.8	01-20
68	349.2	512.5	0.5	81.8	01-21
69	349.4	490.9	0.5	81.8	01-22
70	349.5	469.4	0.5	81.8	01-23
71	349.7	447.9	0.5	81.8	01-24
72	349.9	426.4	0.5	81.8	01-25
73	350.1	404.8	0.5	81.8	01-26
74	350.2	383.3	0.5	81.8	01-27
75	350.4	361.8	0.5	81.8	01-28
76	350.6	340.2	0.5	81.8	01-29
77	350.8	318.7	0.5	81.8	01-30
78	350.9	297.2	0.5	81.8	01-31
79	351.1	275.6	0.5	81.8	01-32
80	351.3	254.1	0.5	81.8	01-33
81	351.5	232.6	0.5	81.8	01-34
82	351.6	211.1	0.5	81.8	01-35
83	351.8	189.5	0.5	81.8	01-36
84	352.0	168.0	0.5	81.8	01-37
85	364.0	162.0	0.5	78.6	02-1
86	344.5	184.0	0.5	78.6	02-2
87	325.0	206.0	0.5	78.6	02-3
88	303.3	184.1	0.5	79.0	02-4
89	333.8	171.0	0.5	79.0	02-5
90	365.0	163.0	0.5	79.0	02-6

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	305.5	241.7	314.2	241.7	314.2	228.2	305.4	228.0	0.0	3.0

=====

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1 L wew	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2 L wew	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3 L wew	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4 L wew	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach L wew	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekran akustyczny :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	309.8	254.6	309.6	338.2	339.8	338.4	339.8	255.0	0.0	10.0
2	308.6	429.8	309.4	345.6	339.4	346.4	338.4	430.8	0.0	10.0
3	308.0	520.6	308.6	436.6	337.8	437.8	337.4	521.4	0.0	10.0
4	330.4	580.0	330.6	549.2	400.0	551.6	399.4	582.0	0.0	10.0
5	376.8	523.2	377.4	439.2	407.4	440.2	406.6	523.8	0.0	10.0
6	377.4	431.8	378.2	348.2	408.4	349.0	407.4	432.8	0.0	10.0
7	378.6	339.4	378.8	256.0	409.0	256.4	408.6	340.2	0.0	10.0
8	378.4	212.4	378.6	175.6	408.6	176.0	408.4	212.6	0.0	10.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000